## **ACE-Associated Health Conditions: Pediatrics**



Symptom or Health Condition	For ≥ X ACEs (compared to 0)	Odds Ratio
Asthma <sup>26, 33</sup>	4	1.7 - 2.8
Allergies <sup>33</sup>	4	2.5
Dermatitis and eczema <sup>39</sup>	3*	2.0
Urticaria <sup>39</sup>	3*	2.2
Increased incidence of chronic disease, impaired management <sup>25</sup>	3	2.3
Any unexplained somatic symptoms <sup>25</sup> (eg, nausea/vomiting, dizziness, constipation, headaches)	3	9.3
Headaches <sup>33</sup>	4	3.0
Enuresis; encopresis <sup>5</sup>		
Overweight and obesity <sup>3</sup>	4	2.0
Failure to thrive; poor growth; psychosocial dwarfism <sup>5, 2, 41</sup>		
Poor dental health <sup>16, 22</sup>	4	2.8
Increased infections <sup>39</sup> (viral, URIs, LRTIs and pneumonia, AOM, UTIs, conjunctivitis, intestinal)	3*	1.4 - 2.4
Later menarche <sup>40</sup> (≥ 14 years)	2*	2.3
Sleep disturbances <sup>5,31</sup>	5**	PR 3.1
Developmental delay <sup>30</sup>	3	1.9
Learning and/or behavior problems <sup>3</sup>	4	32.6

<sup>\*</sup>Odds ratio represents at least one ACE, but also includes other adversities

<sup>\*\*</sup>Prevalence ratio represents at least one ACE, but also includes other adversities

## **ACE-Associated Health Conditions: Pediatrics**



Symptom or Health Condition	For ≥ X ACEs (compared to 0)	Odds Ratio
Repeating a grade <sup>15</sup>	4	2.8
Not completing homework <sup>15</sup>	4	4.0
High school absenteeism <sup>33</sup>	4	7.2
Graduating from high school <sup>29</sup>	4	0.4
Aggression; physical fighting <sup>28</sup>	For each additional ACE	1.9
Depression <sup>29</sup>	4	3.9
ADHD <sup>42</sup>	4	5.0
Any of: ADHD, depression, anxiety, conduct/behavior disorder <sup>30</sup>	3	4.5
Suicidal ideation <sup>28</sup>	For each additional ACE	1.9
Suicide attempts <sup>28</sup>	For each additional ACE	1.9 - 2.1
Self-harm <sup>28</sup>	For each additional ACE	1.8
First use of alcohol at < 14 years <sup>7</sup>	4	6.2
First use of illicit drugs at < 14 years <sup>10</sup>	5	9.1
Early sexual debut <sup>21</sup> (<15-17 y)	4	3.7
Teenage pregnancy <sup>21</sup>	4	4.2

<sup>\*</sup>Odds ratio represents at least one ACE, but also includes other adversities

<sup>\*\*</sup>Prevalence ratio represents at least one ACE, but also includes other adversities

## **ACE-Associated Health Conditions: Adults**



Symptom or Health Condition	Odds Ratio (excluding outliers)
Cardiovascular disease <sup>21</sup> (CAD, MI, ischemic heart disease)	2.1
Tachycardia <sup>37</sup>	≥ 1 ACE: 1.4
Stroke <sup>20</sup>	2.0
Chronic obstructive pulmonary disease (emphysema, bronchitis) <sup>21</sup>	3.1
Asthma <sup>43</sup>	2.2
Diabetes <sup>21</sup>	1.4
Obesity <sup>20</sup>	2.1
Hepatitis or jaundice <sup>1</sup>	2.4
Cancer, any <sup>21</sup>	2.3
Arthritia327 (aclf reported)	3 ACEs, HR: 1.5
Arthritis <sup>32,7</sup> (self-reported)	≥ 1 ACE: 1.3
Memory impairment <sup>20</sup> (all causes, including dementias)	4.9
Kidney disease <sup>43</sup>	1.7
Headaches <sup>11</sup>	≥ 5 ACEs: 2.1
Chronic pain, any <sup>38</sup> (using trauma z-score)	1.2
Chronic back pain <sup>38</sup> (using trauma z-score)	1.3
Fibromyalgia <sup>37</sup>	≥ 1 ACE: 1.8
Unexplained somatic symptoms, including somatic pain, headaches <sup>20, 2</sup>	2.0 - 2.7
Skeletal fracture <sup>1</sup>	1.6 - 2.6 <sup>20</sup>
Physical disability requiring assistive equipment <sup>23</sup>	1.8

Odds ratios compare outcomes in individuals with > 4 ACEs to those with 0 ACEs, except where specified

# **ACE-Associated Health Conditions: Adults**



Symptom or Health Condition	Odds Ratio (excluding outliers)
Depression <sup>21</sup>	4.7
Suicide attempts <sup>21</sup>	37.5
Suicidal ideation <sup>20</sup>	10.5
Sleep disturbance <sup>20</sup>	1.6
Anxiety <sup>21</sup>	3.7
Panic and anxiety <sup>20</sup>	
Post-traumatic stress disorder <sup>37</sup>	4.5
Illicit drug use <sup>21</sup> (any)	5.2
Injected drug, crack cocaine, or heroin use <sup>21</sup>	10.2
Alcohol use <sup>21</sup>	6.9
Cigarettes or e-cigarettes use <sup>35</sup>	6.1
Cannabis use <sup>35</sup>	11.0
Teen pregnancy <sup>21</sup>	4.2
Sexually transmitted infections, lifetime <sup>21</sup>	5.9
Violence victimization <sup>21</sup> (intimate partner violence, sexual assault)	7.5
Violence perpetration <sup>21</sup>	8.1

Odds Ratios for individuals with > 4 ACEs, except where specified otherwise, all compared to 0 ACEs



- 1. Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. **Am J Prev Med**; : 14.
- 2. Anda RF, Felitti VJ, Bremner JD, et al. The enduring effects of abuse and related adverse experiences in childhood: A convergence of evidence from neurobiology and epidemiology. **European Archives of Psychiatry and Clinical Neuroscience 2006**; 256: 174–86.
- 3. Burke NJ, Hellman JL, Scott BG, Weems CF, Carrion VG. The impact of adverse childhood experiences on an urban pediatric population. **Child Abuse & Neglect 2011**; 35: 408–13.
- 4. Burke Harris N. The Deepest Well: Healing the Long-Term Effects of Childhood Adversity. Boston: Houghton Mifflin Harcourt, 2018.
- 5. Burke Harris N, Renschler T. Center for Youth Wellness ACE-Questionnaire (CYW ACE-Q Child, Teen, Teen SR). 2015; Purewal SK, Bucci M, Wang LG, et al. Screening for Adverse Childhood Experiences (ACEs) in an Integrated Pediatric Care Model. ZERO TO THREE 2016; 36: 10–7.
- 6. Chapman DP, Liu Y, Presley-Cantrell LR, et al. Adverse childhood experiences and frequent insufficient sleep in 5 U.S. States, 2009: a retrospective cohort study. **BMC Public Health 2013**; 13. DOI:10.1186/1471-2458-13-3.
- 7. Dube SR, Miller JW, Brown DW, et al. Adverse childhood experiences and the association with ever using alcohol and initiating alcohol use during adolescence. **Journal of Adolescent Health 2006**; 38: 444.e1-444.e10.
- 8. Hillis SD, Anda RF, Felitti VJ, Nordenberg D, Marchbanks PA. Adverse childhood experiences and sexually transmitted diseases in men and women: a retrospective study. Pediatrics 2000; 106: e11-e11.
- 9. Dube SR, Felitti VJ, Dong M, Giles WH, Anda RF. The impact of adverse childhood experiences on health problems: evidence from four birth cohorts dating back to 1900. **Preventive Medicine 2003**; 37: 268–77.
- 10. Dube SR, Felitti VJ, Dong M, Chapman DP, Giles WH, Anda RF. Childhood abuse, neglect, and household dysfunction and the risk of illicit drug use: the adverse childhood experiences study. **Pediatrics 2003**; 111: 564–72.



- 11. Anda R, Tietjen G, Schulman E, Felitti V, Croft J. Adverse childhood experiences and frequent headaches in adults. **Headache: The Journal of Head and Face Pain 2010**; 50: 1473–81.
- 12.Oh DL, Jerman P, Silvério Marques S, et al. Systematic review of pediatric health outcomes associated with child-hood adversity. **BMC Pediatrics 2018**; 18. DOI:10.1186/s12887-018-1037-7.
- 13. Bucci M, Marques SS, Oh D, Harris NB. Toxic Stress in Children and Adolescents. **Advances in Pediatrics** 2016; 63: 403–28.
- 14. Garner AS, Shonkoff JP, Committee on Psychosocial Aspects of Child and Family Health, Committee on Early Childhood, Adoption, and Dependent Care, Section on Developmental and Behavioral Pediatrics, et al. Early childhood adversity, toxic stress, and the role of the pediatrician: translating developmental science into lifelong health. **Pediatrics 2012**; 129: e224–31.
- 15. Robles A, Gjelsvik A, Hirway P, Vivier PM, High P. Adverse Childhood Experiences and Protective Factors With School Engagement. **Pediatrics 2019**; 144: e20182945.
- 16. Bright MA, Alford SM, Hinojosa MS, Knapp C, Fernandez-Baca DE. Adverse childhood experiences and dental health in children and adolescents. **Community Dentistry and Oral Epidemiology 2015**; 43: 193–9.
- 17. Shonkoff JP, Garner AS, Dobbins MI, et al. The lifelong effects of early childhood adversity and toxic stress. **Pediatrics 2012**; 129: e232–46.
- 18. Anda RF, Brown DW, Dube SR, Bremner JD, Felitti VJ, Giles WH. Adverse childhood experiences and chronic obstructive pulmonary disease in adults. **American Journal of Preventive Medicine 2008**; 34: 396–403.
- 19. Kalmakis KA, Chandler GE. Health consequences of adverse childhood experiences: a systematic review. **J Am Assoc Nurse Pract 2015**; 27: 457–65.
- 20. Petruccelli K, Davis J, Berman T. Adverse childhood experiences and associated health outcomes: A systematic review and meta-analysis. **Child Abuse & Neglect 2019**; 97: 104127.
- 21. Hughes K, Bellis MA, Hardcastle KA, et al. The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. **The Lancet Public Health 2017**; 2: e356–66.



- 22. Crouch E, Radcliff E, Nelson J, Strompolis M, Martin A. The experience of adverse childhood experiences and dental care in childhood. **Community Dentistry and Oral Epidemiology 2018**; 46: 442–8.
- 23. Schüssler-Fiorenza Rose SM, Xie D, Stineman M. Adverse Childhood Experiences and Disability in U.S. Adults. **PM&R 2014**; 6: 670–80.
- 24. Lanier P, Maguire-Jack K, Lombardi B, Frey J, Rose RA. Adverse Childhood Experiences and Child Health Outcomes: Comparing Cumulative Risk and Latent Class Approaches. **Matern Child Health J 2018**; 22: 288–97.
- 25. Flaherty EG, Thompson R, Dubowitz H, et al. Adverse childhood experiences and child health in early adolescence. **JAMA Pediatrics 2013**; 167: 622.
- 26. Wing R, Gjelsvik A, Nocera M, McQuaid EL. Association between adverse childhood experiences in the home and pediatric asthma. **Annals of Allergy, Asthma & Immunology 2015**; 114: 379–84.
- 27. Schilling EA, Aseltine RH, Gore S. Adverse childhood experiences and mental health in young adults: a longitudinal survey. **BMC Public Health 2007**; 7. DOI:10.1186/1471-2458-7-30.
- 28. Duke NN, Pettingell SL, McMorris BJ, Borowsky IW. Adolescent Violence Perpetration: Associations With Multiple Types of Adverse Childhood Experiences. **Pediatrics 2010**; 125: e778–86.
- 29. Giovanelli A, Reynolds AJ, Mondi CF, Ou S-R. Adverse childhood experiences and adult well-being in a low-income, urban cohort. **Pediatrics 2016**; 137: e20154016–e20154016.
- 30. Bright MA, Knapp C, Hinojosa MS, Alford S, Bonner B. The Comorbidity of Physical, Mental, and Developmental Conditions Associated with Childhood Adversity: A Population Based Study. **Maternal and Child Health Journal 2016**; 20: 843–53.
- 31. Wang Y, Raffeld MR, Slopen N, Hale L, Dunn EC. Childhood adversity and insomnia in adolescence. **Sleep Medicine 2016**; 21: 12–8.
- 32. Von Korff M, Alonso J, Ormel J, et al. Childhood psychosocial stressors and adult onset arthritis: broad spectrum risk factors and allostatic load. **Pain 2009**; 143: 76–83.



- 33. Bellis MA, Hughes K, Ford K, et al. Adverse childhood experiences and sources of childhood resilience: a retrospective study of their combined relationships with child health and educational attendance. **BMC Public Health 2018**; 18. DOI:10.1186/s12889-018-5699-8.
- 34. Gilbert LK, Breiding MJ, Merrick MT, et al. Childhood Adversity and Adult Chronic Disease. **American Journal of Preventive Medicine 2015**; 48: 345–9.
- 35. Bellis M, Ashton K, Hughes K, Ford K, Bishop J, Paranjothy S. Adverse childhood experiences and their impact on health-harming behaviours in the Welsh adult population. Cardiff: **Public Health Wales**; **2015**. Cardiff, 2015.
- 36. Chapman DP, Liu Y, Presley-Cantrell LR, et al. Adverse childhood experiences and frequent insufficient sleep in 5 U.S. States, 2009: a retrospective cohort study. **BMC Public Health 2013**; 13. DOI:10.1186/1471-2458-13-3.
- 37. Rhee TG, Barry LC, Kuchel GA, Steffens DC, Wilkinson ST. Associations of Adverse Childhood Experiences with Past-Year DSM-5 Psychiatric and Substance Use Disorders in Older Adults. **J Am Geriatr Soc 2019**; 67: 2085–93.
- 38. You DS, Albu S, Lisenbardt H, Meagher MW. Cumulative Childhood Adversity as a Risk Factor for Common Chronic Pain Conditions in Young Adults. **Pain Med 2019**; 20: 486–94.
- 39.Karlen J, Ludvigsson J, Hedmark M, Faresjo A, Theodorsson E, Faresjo T. Early Psychosocial Exposures, Hair Cortisol Levels, and Disease Risk. **Pediatrics 2015**; 135: e1450–7.
- 40.Boynton-Jarrett R, Harville EW. A prospective study of childhood social hardships and age at menarche. **Annals of Epidemiology 2012**; 22: 731–7.
- 41. Muñoz-Hoyos A, Molina-Carballo A, Augustin-Morales M, et al. Psychosocial dwarfism: Psychopathological aspects and putative neuroendocrine markers. **Psychiatry Research 2011**; 188: 96–101.
- 42. Brown NM, Brown SN, Briggs RD, Germán M, Belamarich PF, Oyeku SO. Associations Between Adverse Childhood Experiences and ADHD Diagnosis and Severity. **Academic Pediatrics 2017**; 17: 349–55.
- 43. Merrick MT, Ford DC, Ports KA, et al. Vital Signs: Estimated Proportion of Adult Health Problems Attributable to Adverse Childhood Experiences and Implications for Prevention—25 States, 2015–2017. **MMWR Morb Mortal Wkly Rep 2019**; 68. DOI:10.15585/mmwr.mm6844e1.